

Bolero[®] for Louisiana Rice



John Bordlee February 13, 2009
LATMC Alexandria, LA

Products That Work, From People Who Care[®]

Dry-Seeded Rice

Late Preemergence Application

BOLERO[®] 8 EC
Rice Herbicide

Pre Application Information



- Apply 1-5 days prior to rice and weed emergence
- Rate: Bolero 8EC 2-3 pts/A
- Apply to well prepared seedbed free of large clods
- Apply after soil sealed by rainfall or flushing
- **Good tank-mix partner with Newpath**

Grass & Broadleaf Weeds Controlled Pre



- Barnyardgrass
- Sprangletop
- Fall Panicum
- Crabgrass
- Junglerice
- Dayflower
- Eclipta

Dry-Seeded Rice

Early Postemergence Application in Combination with Propanil

BOLERO[®] 8 EC
Rice Herbicide

Early Post Application Information



- Rates: Bolero 2-3 pts/A + propanil 4E 2-3 qts/A
- Apply to wet or dry soils:
 - Wet soil: rice may be emerged at application
 - Dry soil: soil must have previously been sealed, soil should not be cracked, rice should be in 2-3 leaf growth stage, need rain or flushing within 3 days, do not apply to stressed rice



Dry-Seeded Rice

Split Application

BOLERO[®] 8 EC
Rice Herbicide

Split Application Information



- Rates: Bolero 2 pts/A pre, follow in 10-14 days with Bolero 2 pts/A + 2-3 qts/A propanil 4E
- Rice may be emerged at 2nd application
- Soil should be wet at application

Water-Seeded Rice

Early Postemergence Application in Combination with Propanil

BOLERO[®] 8 EC
Rice Herbicide

Early Post Application Information



- Rates: Bolero 2-3 pts/A + propanil 4E 2-3 qts/A
- Apply only to non-flooded fields
- Rice should be 2-leaf stage, or larger
- Soil should be sealed & wet at application
- Do not apply to fields with exposed seed
- After application, flush field as needed to prevent drying & crusting of soil
- Field should be flooded as soon as rice will tolerate permanent flooding

Weeds Controlled

Bolero Preemergence

BOLERO[®] 8 EC
Rice Herbicide

Weeds Controlled

Bolero + Propanil Early Postemergence

BOLERO[®] 8 EC
Rice Herbicide

Grasses Controlled Early Post with propanil



- Barnyardgrass
- Sprangletop
- Fall panicum
- Crabgrass
- Junglerice
- Broadleaf signalgrass

Broadleaf & Aquatics Controlled EP with propanil



- Ducksalad
- Redstem
- Waterhyssop
- Flatsedge
- Spikerush
- Hemp Sesbania
- Northern & Indian Jointvetch
- Pitted Morningglory